

**PROPOLENE™**  
 dual action weight loss formula  
 1-877-230-8579

HOME ORDER STATUS

LOSE 50 POUNDS IN 8 WEEKS

**IF YOU WANT TO LOSE 20 LBS OR MORE, PROPOLENE IS FOR YOU!**

**BUY IT NOW!**


- [Clinical Studies](#)
- [FAQ](#)
- [Healthy Living Guide](#)
- [Dosage Instructions](#)
- [Purchase Propolene Online](#)

Propolene™ is formulated specifically for people who desire to lose 20 lbs of weight or more. It is scientifically proven, easy, and it works. No dieting is involved, and as one of our customers put it "you don't have to change your life, you just have to take a pill".

Propolene™ helps you establish a healthy lifestyle that is enjoyable. Propolene™ is the most revolutionary weight loss system ever developed and the outcome is amazing. The ingredients in Propolene™ are clinically proven to deliver dramatic weight loss results.

- \* **Propolene is effective!**
- \* **It's simple, just take it before meals!**
- \* **Safely Reduces Hunger!**
- \* **Decreases fat without Dieting!**

Propolene™ is an effective dietary supplement that uses appetite suppression and traps fat to reduce weight. It's easy and it works!



© Copyright 2002-2004 Obesity Research Institute LLC.  
 All material on this website is protected by US and International Copyright Laws

EXHIBIT E

**PROPOLENE™**  
 dual action weight loss formula  
 1-877-230-8579

HOME ORDER STATUS

IF YOU WANT TO LOSE 20 LBS OR MORE, PROPOLENE IS FOR YOU!  
**BUY IT NOW!**

▪▪ [Clinical Studies](#)

**Clinical Studies**

▪▪ [FAQ](#)

▪▪ [Healthy Living Guide](#)

▪▪ [Dosage Instructions](#)

▪▪ [Purchase Propolene Online](#)



Arvill A, et. al. (1995)  
 Effect of short-term ingestion of konjac glucomannan on serum cholesterol in healthy men. *The American Journal of Clinical Nutrition*, 61: 585-589.

Vuksan V, et. al. (1999)  
 Konjac-mannan (glucomannan) improves glycemia and other associated risk factors for coronary heart disease in type 2 diabetes: a randomized controlled metabolic trial. *Diabetes Care*, 22 (6): 913-919.

Doi K, et al. (1979)  
 Treatment of diabetes with glucomannan. *Lancet*, 5: 987-988.

Ebihara K, et. al. (1981)  
 Effect of konjac-mannan, a water-soluble dietary fiber on plasma glucose and insulin responses in young men undergone glucose tolerance test. *Nutrition Reports International*, 23 (4): 577-583.

Doi K, et al. (1981)  
 Effect of konjac fibre (glucomannan) on glucose and lipids. *European Journal of Clinical Nutrition*, 49, Suppl.3: S190-197.

Doi K, et al. (1981)  
 Effect of glucomannan on glucose and lipid metabolism in normal and diabetic subjects. *International Congress Environmental Interaction in Diabetes Mellitus. Proceedings of the Third Symposium on Diabetes Mellitus in Asia and Oceania, Honolulu.*

Chen-yu H, et. al. (1990)  
 Effect of konjac food on blood glucose level in patients with diabetes. *Biochemical and Environmental Science* 3: 123-131.


Doi K, et al. (1983)  
 Dietary fiber in the treatment of diabetes mellitus. *Proceedings of the fourth seminar of diabetes mellitus and nutrition, Kobe, November 22-23: 200-206.*

Doi K, et al. (1990)  
 Metabolic and nutritional effect on long-term use of glucomannan in the treatment of obese diabetics. Y. Oomura et. al. *John Libby & Co., Ltd. Progress in Obesity Research: 507-514.*

Shima K, et. al. (1971)

Augmented serum insulin response to glucose infusion after the ingestion of konnyaku.  
Pro. Soc. Exp. Med., 137: 872-876.

Pages: |1| |2| |3| |4| |5|



© Copyright 2002-2004 Obesity Research Institute LLC.  
All material on this website is protected by US and International Copyright Laws

**PROPOLENE™**  
 dual action weight loss formula  
 1-877-230-8579

HOME ORDER STATUS

IF YOU WANT TO LOSE 20 LBS OR MORE, PROPOLENE IS FOR YOU!  
**BUY IT NOW!**

•• [Clinical Studies](#)

•• [FAQ](#)

•• [Healthy Living Guide](#)

•• [Dosage Instructions](#)

•• [Purchase Propolene Online](#)

**Clinical Studies**

Hopman WPM, et. al. (1988)  
 Glucomannan prevents postprandial hypoglycemia in patients with previous gastric surgery. Gut, 29: 930-934.

Shima K, et. al. (1982)  
 Effect of dietary fiber, konjac mannan and sugar gum, on absorption of sulfonylurea in man. Nutrition Reports International, 26: 297-302.

Kneepkens FCM, et. al. (1988)  
 Dumping syndrome in children. Acta Poediar, Scand. 77: 279-286.

Vorster HH, et. al. (1984)  
 The effect of long-term ingestion of konjac-glucomannan on glucose tolerance and immunoreactive insulin values on baboons. SA Mediese Tydskrif Deel. May 19: 805-808.

R&D Department, Shimizu Chemical Corporation  
 Clinical study of propol on obesity II


Walsh DE, et. al. (1984)  
 Effect of glucomannan on obese patients: a clinical study. International Journal of Obesity, 7: 289-293.

Berrizbeitia ML, et. al.  
 Glucomannan – dietary fiber action in body weight loss and in the regulation of lipemia values in overweight patients. Military Hospital, Caracas, Department of Cardiology

Rodriguez de Roa E, et. al.  
 Pharmacologic intervention program in infantile obesity and dislipidemias: usefulness of the dietary fiber glucomannan. Jose Ignacio Baldo Hospital, Cardiology Department, Vargas Hospital, Gastroenterology Department, Risk factors consultation, Caracas, Venezuela.

Livieri C, et. al. (1992)  
 Impiego di fibre a base di glucomannano altamente purificato nell'obesita infantile (Usefulness of highly purified glucomannan fibers in childhood obesity). Ped. Med. Chr. 14, 195-198 (Italian, English translation).

Vita PM, et. al. (1992)  
 Impiego cronico del glucomannano nel trattamento delle obesita severe (Chronic use of glucomannan in the dietary treatment of severe obesity). Minerva Med., 83: 135-139 (Italian).



© Copyright 2002-2004 Obesity Research Institute LLC.  
All material on this website is protected by US and International Copyright Laws

**PROPOLENE™**  
 dual action weight loss formula  
 1-877-230-0579

HOME ORDER STATUS

IF YOU WANT TO LOSE 20 LBS OR MORE, PROPOLENE IS FOR YOU!  
**BUY IT NOW!**

•• [Clinical Studies](#)

•• [FAQ](#)

•• [Healthy Living Guide](#)

•• [Dosage Instructions](#)

•• [Purchase Propolene Online](#)

**Clinical Studies**

Mao-yu Z, et. al. (1990)

The effect of foods containing refined konjac meal on human lipid metabolism. *Biochemical and Environmental Sciences*, 3: 99-105.

Biancardi G, et. al. (1989).

Glucomannan in the treatment of overweight patients with osteoporosis. *Current Therapeutic Research*, 46(5): 908-912.

Salvatoni S, et. al. (1991).

Quadro lipidico ed eccesso ponderale nell'obesita infantile: influenza di un supplemento farmacologico alla dieta. (Serum lipids in obese children: a double blind controlled trial on treatment by diet only vs. diet and drugs). *Peg. Oggi*, 11(9): 243-245 (Italian, English translation).

Reffo GC, Ghirardi PE, & Forattini C (1988)

Glucomannan in hypertensive outpatients: pilot clinical trial. *Current Therapeutic Research*; 44(1): 22-27.

Cairella M, & Marchini G (1995)

Glucomannano e obesita: valutazione dell'attivita del glucomannano su alcuni parametric metabolici e sulla sensazione di sazieta in pazienti con sorvapresso de obesita. *Clin. Ter.* 146: 269-274 (Italian).

Chen HL, et. al. (2003)

Konjac supplement alleviated hypercholesterolemic and hyperglycemia in type 2 diabetic subjects: a randomized double blind trial. *Journal of the American College Nutrition*, 22 (1): 36-42.

Vuksan V, et. al. (2000)

Beneficial effects of viscous dietary fiber from konjac-mannan in subjects with the insulin resistance syndrome: results of a controlled metabolic trial. *Diabetes Care*, 23 (1): 9-14.

Terasawa F, et. al. (1979)

The effects of konjac flour on the blood lipids in the elderly subjects. *Japan Journal of Nutrition*, 37 (1): 23-28.


Kiriyama S, et. al. (1974)

Inhibitory effect of konjac manna on bile acid transport in the everted sacs from rat ileum. *The Journal of Nutrition*, 104: 69-78.

Ebihara K, et. al. (1989)

Interaction of bile acids, phopholipids, cholesterol and triglyceride with dietary fibers in the small intestine of rats. *American Journal of Nutrition*: 1100-1106.

Pages: |1| |2| |3| |4| |5|



© Copyright 2002-2004 Obesity Research Institute LLC.  
All material on this website is protected by US and International Copyright Laws

**PROPOLENE™**  
**dual action weight loss formula**  
 1-877-230-8579

HOME ORDER STATUS

IF YOU WANT TO LOSE  
 20 LBS OR MORE,  
 PROPOLENE IS FOR YOU!

**BUY IT NOW!**

•• [Clinical Studies](#)

•• [FAQ](#)

•• [Healthy Living Guide](#)

•• [Dosage Instructions](#)

•• [Purchase Propolene Online](#)

### Clinical Studies

Reffo GC, Ghirardi PE, Forattini C. (1990)

Double-blind evaluation of glucomannan versus placebo in postinfarcted patients after cardiac rehabilitation. *Current Therapeutic Research*, 47(5): 753-758.

Cesa T, et. al. (1990)

Utilizzazione delle fibre vegetali per la terapia del diabete gestazionale c/o dell'eccessivo aumento ponderale in gravidanza. (User of vegetable fiber in the treatment of gestational diabetes and/or excessive weight gain in pregnancy). *Minerva Ginecologica*, 42: 271-274 (Italian).

Magnati G, et. al. (1984)

Fibre dietetiche de OGTT: variazioni glicemiche dopo somministrazione di un nuovo glucomanno purificato. *Act Biomedica de*, 55: 15-14 (Italian)

Marsicano LJ, et. al.

Use of the glucomannan dietary fiber in the modification of the intestinal habit. Vargas Hospital, Caracas, Department of Gastroenterology. Military Hospital, Caracas, Department of Cardiology.

Rosado JL, et. al.

Composition and phycho-chemical properties of different sources of dietary fiber with its gastrointestinal effect. Department de Fisiologia de la Nutriton, Instituto Nacional de la Nutriton Salvador Zubiran.

Vuksan V, et. al. (2001)

Konjac-mannan and American ginseng: emerging alternative therapies for type 2 diabetes mellitus. *Journal of American College Nutrition*, 20(5): 370S-380S.

Ebihara K, et. al. (1981)

Major determinants of plasma glucose - flattening activity of a water-soluble dietary fiber: effect of konjac mannan on gastric emptying and intraluminal glucose-diffusion. *Nutrition Reports International*, 23(6): 1145-1156.

Passaretti S, et. al. (1991)

Action of Glucomannan on complaints in patients affected with chronic constipation: a multicentric clinical evaluation. *The Italian Journal of Gastroenterology*, 23(7): 421-425.

Staiano A, et. al. (2000)


Effect of the dietary fiber glucomannan on chronic constipation in neurologically impaired children. *The journal of Pediatrics*, 136 (1): 41-45.

Marzio L, et. al. (1989)

Mouth-to-cerum transit time in patients affected by chronic constipation: effect of glucomannan. *American Journal of Gastroenterology*, 84 (8): 888-891.



Pages: [1](#) | [2](#) | [3](#) | [4](#) | [5](#)



© Copyright 2002-2004 Obesity Research Institute LLC.  
All material on this website is protected by US and International Copyright Laws

**PROPOLENE™**  
**dual action weight loss formula**  
 1-877-230-8579

HOME ORDER STATUS

IF YOU WANT TO LOSE 20 LBS OR MORE, PROPOLENE IS FOR YOU!  
**BUY IT NOW!**

•• [Clinical Studies](#)

•• [FAQ](#)

•• [Healthy Living Guide](#)

•• [Dosage Instructions](#)

•• [Purchase Propolene Online](#)

### Clinical Studies

Kiriyama S, et. al.

Hypoclesterolemic effect of polysaccharides and polysaccharide-rich foodstuffs in cholesterol-fed rats. *Journal of Nutrition*, 97: 382-388.

Gallaher CM., et al. (2000)

Cholesterol reduction by glucomannan and chitosan is mediated by changes in cholesterol absorption and bile acid and fat excretion in rats. *Nutrient Metabolism, American Society for Nutritional Sciences*: 2753-2759.

Lim BO, et. al. (1997)

Dietary fibers modulated indices of intestinal immune function in rats. *Biochemical and molecular roles of nutrients. American Society of Nutritional Sciences*: 663-667.

MacKenzie KM, et. al.

Dose-Response Study with Glucomannan in Rats. Hazelton Laboratories America Inc.

Mizutani T, et. al. (1998)

Effect of konjac mannan on intestinal microflora and tumorigenesis. *First International Meeting on Intestinal Microflora, Gastroenterology International*, 2, Suppl. 1: 52-55.

Mizutani T, et. al. (1987)

Influence of dietary konjac mannan on fecal microflora in F344 rats. *Proc. Japan Acad.*, 63: 273-276.

Mizutani T, et. al. (1980)

Inhibitory effect of some intestinal bacteria on liver tumorigenesis in gnotobiotic c3h/he male mice. *Elsevier Scientific Publishers Ireland Ltd. Cancer Letters*, 11: 89-95

Mizutani T, et. al. (1982)

Effect of konjac mannan on spontaneous liver tumorigenesis and fecal flora in c3h/he male mice. *Elsevier Scientific Publishers Ireland Ltd. Cancer Letters*, 17: 27-32.

Mizutani T, et. al. (1983)


Effect of konjac mannan on 1, 2-dimethylhydrazine-induced intestinal carcinogenesis in Fischer 344 rats. *Elsevier Scientific Publishers Ireland Ltd. Cancer Letters*, 19: 1-6.

Fujiwara S, et. al. (1991)

Effect of konjac mannan on intestinal microbial metabolism in mice bearing human flora and in conventional F344 rats. *Fd. Chem. Toxic.* 29(9): 601-606.

Pages: [\[1\]](#) [\[2\]](#) [\[3\]](#) [\[4\]](#) [\[5\]](#)

 PRINT THIS



© Copyright 2002-2004 Obesity Research Institute LLC.  
All material on this website is protected by US and International Copyright Laws

**PROPOLENE™**  
 dual action weight loss formula  
 1-877-230-8579

HOME ORDER STATUS

IF YOU WANT TO LOSE 20 LBS OR MORE, PROPOLENE IS FOR YOU!  
**BUY IT NOW!**

- [Clinical Studies](#)
- [FAQ](#)
- [Healthy Living Guide](#)
- [Dosage Instructions](#)
- [Purchase Propolene Online](#)

**Frequently Asked Questions**

**What is Propolene™?**

Propolene™ tablets consist of 100% natural fiber, named Propol®, which expands in your stomach and makes you feel full.

**What is Excelerene™?**

Excelerene™ tablets are comprised of a blend of 100% natural herbs, which are scientifically proven to increase your metabolism by 40%.

**What is Healthy Living Guide?**

Included with your order you will find a Healthy Living Guide. As with any diet program, proper nutrition and exercise plan can accelerate your results. Healthy Living Guide outlines several eating and exercise plans, which can be used in conjunction with the Propolene™ tablets to accelerate your weight loss.

**How much weight will I lose?**

Weight loss varies depending on each individual. Propolene™ guarantees you will lose up to 20 pounds in 30 days if you use the Propolene™.

**Is the product natural?**

Propolene™ product is 100% natural.

**Are there any side effects?**

We are not aware of any side effects from taking the Propolene™ or Excelerene™ as directed.

**Can you take this product with medications?**

The product is natural; we do recommend that you consult your health care provider if you are taking medications at the time you would like to use the Propolene™.

**Can you take this product if you are pregnant?**

We recommend you consult your health care provider.

**Can you take this product if you have heart disease or high cholesterol/blood pressure?**

Propolene™ can help normalize cholesterol and triglyceride levels in many people; however, we do still recommend you consult with your health care provider.

**How many times a day do you take each product?**

Propolene™: up to 3 capsules before each high fat meal.  
 Excelerene™: up to 2 tablets per day.

**What is in each of the products offered?**

Propolene™ contains Glucomannan / Propol®, which is a 100% natural fiber extracted from the Konjac Root. Excelerene™ contains Green Tea, Chromium, Kola-nut, Bitter Orange, and Vitamins B6 and B12.

**How does each product work?**

Propolene™ creates a viscous fiber mass, which is 100% natural soluble dietary fiber and provides a feeling of satiety. Propolene™ encapsulates some of the fat in the foods you eat and prevents its absorption by digestive tract, resulting in reduced caloric intake from fat and adding healthy fiber to your diet.

Excelerene™ contains Green Tea. Green Tea is proven to increase your metabolism safely so you burn more calories.

**Does Propolene™ have an expiration date?**

Yes, it has a shelf life of 2 years. You will find expiration date stamped on the bottle.

**Does Excelerene™ have an expiration date?**


Yes, it has a shelf life of 2 years. You will find expiration date stamped on the bottle.

**Where is Propolene™ manufactured?**

In the U.S.A.

**Where is Excelerene™ manufactured?**

In the U.S.A.



© Copyright 2002-2004 Obesity Research Institute LLC.  
All material on this website is protected by US and International Copyright Laws

**PROPOLENE™**  
 dual action weight loss formula  
 1-877-230-8579

HOME ORDER STATUS

IF YOU WANT TO LOSE 20 LBS OR MORE, PROPOLENE IS FOR YOU!  
**BUY IT NOW!**

- [Clinical Studies](#)
- [FAQ](#)
- [Healthy Living Guide](#)
- [Dosage Instructions](#)
- [Purchase Propolene Online](#)

**Healthy Living Guide**



Obesity Research Institute, LLC, in cooperation with others, has developed an eating plan and an exercise plan that will help your body use fats, carbs, and proteins more efficiently. This in turn will help you lose unwanted body fat. When used in combination with the Propolene™ and Excelerene™ supplements provided to you, subjects in an in-house study lost as much as 50 pounds of unwanted body fat in only 12 weeks.


Obesity Research Institute, LLC, in cooperation with others, compiled twelve selections of entrées and snacks for each meal. In order to optimize your body's thermic (fat burning) effect, you should eat five times daily: Breakfast, AM Snack, Lunch, PM Snack, and Dinner, and remember, your portion sizes should be no larger than your fist. Please note that we have created different menus for men and women. This is due to the fact that women have a naturally slower metabolism; so ladies, your caloric intake levels are slightly lower than those of men.

[Click Here](#) to download the Propolene™ Healthy Living Guide.



You'll need the Adobe Acrobat Reader to view data in PDF format. If you don't have the reader, click on the Adobe icon for a free download.

PRINT THIS



© Copyright 2002-2004 Obesity Research Institute LLC.  
 All material on this website is protected by US and International Copyright Laws