


CRAFTSMAN

926254

# Speed-Lok™

7/16-in.  
Speed-Shank™

## 1/2-in Wood Boring Bit



**WARNING:**

Always wear eye protection which complies with current ANSI Standard Z87.1

Always disconnect power source before using tool on electrical boxes, fittings or any workplace which may conduct electricity.

Do not use on any power impact wrench. Bits could break, throwing fragments in all directions.

Before using on a power tool, read and understand machine owners manual, observing all instructions. **FAILURE TO HEED ALL INSTRUCTIONS CAN RESULT IN SERIOUS BODILY INJURY OR DEATH.**

**Speed-Lok™ and Speed-Shank™**

ARE TRADEMARKS OWNED BY JORE CORPORATION

MADE IN U.S.A. Sold by Sears, Roebuck and Co., Hoffman Estates, IL 60179 1/2000



D 9 M 2 6 2 5 4

60550669

926254

CRAFTSMAN

Aggressive Angled Cutting Edge

Hardened Steel

Quick Connector

7/16-in. Speed-Shank™

Speed-Shank™


CRAFTSMAN

926258

# Speed-Lok™

7/16-in.  
Speed-Shank™

## 1-in Wood Boring Bit



Use with the **Speed-Lok™** Quick Connector or chuck directly into any 1/2-in. drill chuck.  
(Sold Separately)

Drill Chuck

**Speed-Lok™** Quick Connector for easy one handed bit changes

**Speed-Shank™** eliminates drill bit slippage

FITS ALL BRANDS

### WARNING:

Always wear eye protection which complies with current ANSI Standard Z87.1

Always disconnect power source before using tool on electrical boxes, fittings or any workplace which may conduct electricity.

Do not use on any power impact wrench. Bits could break, throwing fragments in all directions.

Before using on a power tool, read and understand machine owners manual, observing all instructions. **FAILURE TO HEED ALL INSTRUCTIONS CAN RESULT IN SERIOUS BODILY INJURY OR DEATH.**

**Speed-Lok™ and Speed-Shank™** ARE TRADEMARKS OWNED BY JORE CORPORATION

MADE IN U.S.A. Sold by Sears, Roebuck and Co., Hoffman Estates, IL 60179 1/2000



D 9 M 2 6 2 5 8

60550673

926258

CRAFTSMAN

Aggressive Angled Cutting Edge

Hardened Steel

Quick Connector

7/16-in. Speed-Shank™

Speed-Shank™

STANLEY

Job  
Drill

### Fast Change Power Drilling and Driving Set

Juego de cambio rápido para taladro o  
destornillador eléctrico  
Ensemble de perçage et de vissage motorisé  
avec connecteur à remplacement rapide

FAST IN

FAST OUT

FAST SHANK™



STANLEY  
STANLEY  
Drives System

### Contractor Grade™

### Fast Change Power Drilling and Driving Set

Juego de cambio  
rápido para  
taladro o  
destornillador  
eléctrico  
Ensemble de  
perçage et de  
vissage motorisé  
avec connecteur à  
remplacement rapide

FAST IN

FAST OUT



100%

STC-1744

faster bit changes than with  
standard keyed chuck

Cambio los brocas, sin necesidad de cambiar el husillo  
ayudándose solamente de la llave para brocas.  
Permitir de reemplazar los brocas y el husillo  
reemplazamiento que ofrece una herramienta a un costo...

Fast  
Change



MADE IN U.S.A.

HECHO EN U.S.A.  
FABRIQUE EN U.S.A.



**Contents**

1-4 Converter 1 Compact Screw Guide with P2 insert bit, 8 Assorted 1 Insert Bits, 13 Black Oxide 1-4 Fast Shank w/ Drill Bits, 1 1/8", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 1/8", 1-4 Converter for Drill & Drive Bits, 4 Reversible Compression Inserts, #6x3-32 with P1 Bit, #8x7/64 with P2 Bit, #10x1-8 with P1 Bit, #12x1-8 with P3 Bit, Theor-1-4 Hex Shank Wood Boring Bits, 1/2", 3/4", 1", Three 1/4" Fast Shank, 1/2" Assortment Drill Bits, 1/8", 3/16", 1/4", High Torque Handle, 6 Assortment 2 Point Bits, 3 Replacement Drill Bits, 3-32", 7/64", 1/8", 3/16", 1/2" S&S Screws, Inlaid 1/2" Process Plus Case

**Contenido**

Convertidor de 1/4 de pulg. 1 unidad comparta de tornillo con broca a de inserto con P2 8 brocas de inserción surtidas de 1 pulg. 13 brocas de perforación hexagonales de 1/4 de pulg. de ancho requerido 1 Broca pulg. 5/64 de pulg. 3/32 de pulg. 7/64 de pulg. 1/8 de pulg. 9/64 de pulg. 5/32 de pulg. 11/64 de pulg. 3/16 de pulg. 13/64 de pulg. 7/32 de pulg. 1/8 de pulg. 1-4 de pulg. convertidor de tornillo y par de fuerza 4 insertos reversibles con avellanados #6x3-32 pulg y broca alternadora P1, #8x7/64 pulg y broca alternadora P2, #10x1-8 pulg y broca alternadora P2, #12x1-8 pulg y broca alternadora P3, tres brocas para madera hexagonales de 1/4 de pulg. 1-2 de pulg. 3-4 de pulg. 1 de pulg. tres brocas de perforación hexagonales de 1/4 de pulg. 3/8 de pulg. 3/16 de pulg. 1/4 de pulg. mango de alta torsión, 6 brocas surtidas de taladro elaboradas de 2 pulg. 3 brocas para perforar de refuerzo de 3/32 de pulg. 7/64 de pulg. 1/8 de pulg. 3 pulgadas de diámetro, 52 piezas en total incluye estuche

**Contenu**

Convertidor 1/4 po. 1 unite de vissaire compari avec pointe embutee P2 8 pointes rondes assorties de 1 po. 13 forets hexagonaux de 1/4 po avec l'anneau requi 1 Broca pulg. 5/64 po. 3/32 po. 7/64 po. 1/8 po 9/64 po 5/32 po. 11/64 po. 3/16 po. 13/64 po. 7/32 po. 1/8 po. 1-4 po. mandre professionnelle de perçage et de vissage. 4 pointes embutees et reversible pour le forage. #6x3-32 po avec pointe de vissage P1, #8x7/64 po avec pointe de vissage P2, #10x1-8 po avec pointe de vissage P3, trois forets à bois avec tal de largeur de 1/4 po. 1-2 po. 3-4 po. 1 po. trois forets de perforation hexagonales de 1/4 po. 3/8 po. 3/16 po. 1/4 po. trois broches de forage élaborées de 2 po. 3 broches pour perçage de renforcement de 3/32 po. 7/64 po. 1/8 po. 3 po. de diamètre, total 52 pièces et étui



MADE IN U.S.A.  
HECHO EN E.U.A.  
FABRIQUÉ AUX É.U.



STC-1744



**The System**

**Advanced Process Control**

This drill process has been manufactured using the complex design of process control. The shank, entering a sharp precision split point for fast penetration, while extending the cutting edge of the drill bit.

**Screw Guide**

Holds screws in correct position without wobbling or slipping from the bit.

**Contractor Drill and Driver**


Always you tapre drill, counter sink or counter bore a screw hole, then drive a screw without rechecking by using the quick disconnect feature.

**High-Torque Handle**


Works with most 2 power bits and many other 1-4 hex shank accessories with a power groove.

Made in the USA with domestic and global components

©1999 Jore Corporation

 Work safety with tools by meeting safety goggles.  
Usa lentes de seguridad para trabajar de manera seg y con las herramientas.  
Travaillez en sécurité. Portez des lunettes de sécurité lorsque vous utilisez des outils.

Jore Corporation  
45000 Hwy 83 South Roman, TX 76065, U.S.A. Tel: 817-356-4000, Fax: 817-356-4000  
Stanley is the registered trademark for the Stanley Works and subsidiaries



5/8"  
15.8 mm

ST-1198

5/8"

Fast  
Change

Lock T-4 Fast Shank accessories directly into the Fast Change Connector to eliminate re-chucking. (connector sold separately)



Work safely with tools by wearing safety goggles.

Made in the USA With Domestic and Global Components

© 1999 Jire Corporation



60550505

For more information, call 1-800-4-A-TOOL  
Tel: 800-444-JOHN • Fax: 800-444-4444  
Stanley is the registered trademark of  
The Stanley Works and subsidiaries.



Change

Wood  
Boring  
Bit

FITS  
ALL  
DRILLS

Angled cutting edge digs into wood while the super sharp spurs cut a clean, smooth hole in all types of wood products.

1/4"

FAST SHANK

1 1/8  
22.2 MM



*FAST IN*

**Fast  
Change**

*FAST CHANGE*

Lock 1/4" Fast Shank accessories directly into the Fast Change Connector to eliminate re-drilling. (connector sold separately)



Work safely. Use proper drill and safety techniques.



60550509

Jore Corporation, 11111 1/2th Street, Helena, MT 59604

For more information, call 1-800-333-3333

©1997 Jore Corporation, Helena, MT

Printed in the USA

1 1/8  
22.2 MM

**Wood  
Boring  
Bit**

FITS  
ALL  
DRILLS

Angled cutting edge digs into wood while the super sharp spurs cut a clean, smooth hole in all types of wood products.

1/4

*FAST SHANK*

ST-1200